



aminacharging.com

Partner Marketing Toolkit



How to use

This toolkit is a collection of marketing assets and resources to help ensure a consistent and successful marketing approach in line with amina's brand identity.

All our assets can be found on our Digital Asset Management System (DAM)

download.aminacharging.com

Should you need further assistance, don't hesitate to reach out.
We're here to support your marketing efforts and ensure a successful partnership.

For any questions or further information, please contact: marketing@aminacharging.com

01	<u>Brand guidelines</u>
02	<u>amina C</u>
03	<u>amina S</u>
04	<u>amina 1</u>
05	<u>Norwegian</u>
06	<u>Swedish</u>

01

Brand guidelines

Brand guidelines

The partner brand guidelines are developed to share the amina brand, and the essence of who we are. It is also created to ensure the amina brand is represented in a way that honors our identity while providing an understanding of how amina will represent the brand of our partner network.

The guidelines outlines the correct use of the amina brand elements, including logo, typography and color.


Please note, to embrace the unique identity of our brand, we **always** write the amina name in lowercase letters, as '**amina**'. Even in titles, at the beginning of a sentence and all other relevant forms.

All guidelines can be found on our Digital Asset Management System (DAM)

download.aminacharging.com

For any questions or further information, please contact: marketing@aminacharging.com

Brand assets

Asset 1	Asset 2	Asset 3	Asset 4	Asset 5
				
Brand guidelines	Logo	Colors	Imagery	Applications
Link	Link	Link	Link	Link

02

amina C



Small but powerful

Choose between 13,4 kW or 22 kW to charge up to charge up to 100km of range in one hour.



Local OCPP 1.6j

Seamlessly integrate with Charge Point Management Management and backend systems.



Reliable coverage, everywhere

Ensures stable connections wherever phones work with a premium LTE Cat 1 Bis modem.



Future proof technology

Over-the-air updates, prepared for OCPP 2.0.1 and the future of security and encryption requirements.



Seamless installation and setup

Installed in minutes, reducing costs and complexity complexity with automated setup.



Engineered with precision

High-quality hardware carefully designed and and manufactured in Norway to meet high standards.



amina C

Product description

B2B

Header Text:

Made to integrate.

Body text:

amina C is the EV charger designed to simplify operations, lower costs, and deliver best-in-class reliability. With pre-configured setup for quick installations, premium connectivity, and offline data storage, issues are resolved faster, keeping downtime to a minimum. Hardware ready for OCPP 2.0.1, it's built to grow with your business and adapt to future needs.

Short description for shops:

amina C 22kw

Incl. 6m fixed cable 13,4 kW bundle

amina C 22kw

Incl. 6m fixed cable 22 kW bundle



Small but powerful

Delivers up to 22 kW, adding 100 km of range in range in just an hour.



Ultralight 6m fixed cable

Slim cable with Type 2 plug for easy handling and a and a smaller environmental footprint.



Reliable coverage, everywhere

Ensures stable coverage wherever phones work with premium LTE connectivity.



Future proof technology

Zigbee, Bluetooth, WiFi, cellular and OCPP technology.



Seamless installation and setup

Designed and engineered in collaboration with with electricians.



Tried and tested

5-year warranty and in compliance with all relevant EU standards.

C



B2C

amina C

Product description

B2C

Header Text:

Power in Simplicity.

Body text:

amina C is the EV charger that is made for your car and designed for your home. Small but fast, it features a fixed, and lightweight cable, enabling up to 22 kW charging - adding 100km of range in an hour. Built in Norway, amina C is optimised for tight spaces and all weather conditions, ensuring you always have the power you need, when you need it.



amina C 22kw

Incl. 6m fixed cable 13,4 kW bundle

amina C 22kw

Incl. 6m fixed cable 22 kW bundle

amina C
Supporting assets

Product sheet	Product customisation template	Installation video (amina S)	Installer and user guide	DOC	Warranty
					
Link	Link	Link	Link	Link	Link

amina C
Product renders

Image 1	Image 2	Image 3	Image 4
			
Link	Link	Link	Link

Want more assets? Find our collection [here](#)

amina C
Action images

Image 1	Image 2	Image 3	Image 4	Image 5
				
Link	Link	Link	Link	Link

Want more assets? Find our collection [here](#)

amina C

Product presentation

This is our recommended carousel for presenting amina C with photos on your shop

Image 1	Image 2	Image 3	Image 4	Image 5
				
Link	Link	Link	Link	Link

Want more assets? Find our collection [here](#)



General Dimensions (mm): 264mm x 112mm x 89mm Operating temperature: -30°C to +40°C Weight: 1,1 kg Weight including charging cable: 2,5 kg (20A), 3,5 kg (32A)	Electrical rating Class I equipment Overvoltage category III (4 kV) 3x 230/400V 50Hz AC 20A (AST/ACT 1xx/20) 32A (AST/ACT 1xx/32)	Installation Permanently connected Three-phase w/ neutral (TN/TT) Single-phase (TN/TT/IT) 4 – 16mm cable diameter	Security features Hardware Security and cryptography module TLS 1.3
Power grid and voltages TN, IT and TT 230V/400V AC 3 phase w/ Neutral 230V AC 1 phase	Integrated RCD RDC-DD (6mA DC)	Integrated energy-meter 1 or 3-phase ±3 % accuracy	Power supply terminals Single core or stranded wires 1,5 – 6mm2 w/ ferrules 1,5 – 10mm2 w/o ferrules Strip wires 12 – 14mm
Charging Cable Fixed cable included (replaceable) Type 2 plug (EN 62196) AST/ACT 100/20: 6m 3-phase 20A AST/ACT 100/32: 6m 3-phase 32A	Installation environment Indoor and outdoor use (IP54) Private and public locations (IK08) Wall or pole mounted Min 90cm installation height	Dynamic load balancer P1 port to Modbus RTU Solar energy integration	Required external protective devices Circuit breaker (max 40A) RCD (max 30mA AC)
Charging power 20A variant 3-phase output: 3,7 – 13,8 kW 1-phase output: 1,4 – 4,6 kW	Electrical rating Class I equipment Overvoltage category III (4 kV) 3x 230/400V 50Hz AC 20A (AST/ACT 1xx/20) 32A (AST/ACT 1xx/32)	Regulations and standards RED 2014/53/EU EN IEC 62311:2020 EN IEC 61851-1:2019 EN 62196-1:2014 EN 62196-2:2012+A11:2013+A12:2014 IEC 62955:2018 EN IEC 61851-21-2:2021 EN 301 489-1 v2.2.3 EN 301 489-17 v3.2.4 EN 300 328 v2.2.2 RoHS 2011/65/EU EN IEC 63000:2018	Communication Bluetooth LE and Zigbee Frequency band: 2400 – 2483,5 MHz Maximum output power: 10mW 4G-LTECat1bis WiFi-2.4GHz&5GHz-IEEE 802.11a/b/g/n/ac/ax RFID Mifare & FeliCa ISO/IEC 14443 A/B OCPP Local OCPP 1.6j with enhanced security Hardware ready for OCPP 2.0.1
Charging power 32A variant 3-phase output: 3,7 – 22,0 kW 1-phase output: 1,4 – 7,4 kW	Frequency utilization 13.56 MHz: <42dBuA/m 2400 – 2483,5 MHz: <20dBm 5150 – 5250 MHz: <23dBm 5250 – 5350 MHz: <20dBm 5470 – 5725 MHz: <27dBm 5725 – 5850 MHz: <14dBm LTE bands B1/3/7/8/20/28: <23dBm		

03

amina S



Small but powerful

Delivers up to 22 kW, adding 100 km of range in just in just an hour.



Sustainable innovation

The first home charger certified with an Environmental Product Declaration (EPD).



Simple or smart charging

Charge simply by plugging in or integrate with smart homes and apps for smart charging and energy savings.



Effortless cable management

The lightweight 6-meter-long charging cable offers flexibility and easy handling for everyday use.



Safe and reliable

5-year warranty and fully compliant with relevant EU relevant EU safety standards



Designed for quick Installation

Installed in minutes, thanks to a design crafted with with input from professional electricians.



amina S

Product description

Header Text:

Charge with speed and simplicity.

Body text:

amina S is your go-to charger for speed and simplicity. This small and fast charger features a lightweight, flexible fixed cable, enabling up to 22 kW charging.

Choose straightforward plug-and-play charging or integrate with Zigbee and Bluetooth for smart features and savings.

amina S ensures you always have the power you need, when you need it.

Short description for shops:

amina S 22kw

Incl. 6m fixed cable 13,4 kW bundle

amina S 22kw

Incl. 6m fixed cable 22 kW bundle

amina S

Value propositions

Power in Simplicity

amina S is the small and fast EV charger that is made for your car and designed for your home. Designed and manufactured in Norway, optimised for tight spaces and all weather conditions. The 6 m fixed cable is convenient and flexible and comes free of charge.

Charge the way you want

amina S is made for both simple charging and future-proof smart home integrations.

- Plug in and charge - simple as that.
- Smart homes – Integrate the charger to a smart home for full smart charging functionality.
- Smart charging apps and electricity providers – Connect a supported EV to charge smart and save money.

Maximum power

amina S is made to give your car maximum power when you need it.

With a charging speed of up to 22kW, amina S can add up to 100 kilometers of range in just one hour.

amina S

Supporting messages



Up to 22 kW

One of the fastest home chargers on the market. Adds up to 100 km range in one hour.



Lightweight

At only 1 kg, it's one of the lightest EV chargers available.



Ultralight 6 m fixed cable

35 % thinner* cable for easy handling and a smaller environmental footprint.



Environmental Product Declaration

First home charger with its own EPD (Environmental Product Declaration).



Future-proof

Zigbee & Bluetooth for seamless integrations to smart solutions.



Ambient light sensor

Automatically adjusts LED brightness based on surroundings.



Made to last

Resistant to impact, dust and water.



Charges any car

Type 2 charging cable, compatible with all EVs and hybrids.



Optimized for tight spaces

Only 89 mm deep, ideal for garages or tight passages.





Quick installation

Designed and engineered in collaboration with electricians.

*compared to the industry standard.

amina S
Supporting assets

Product sheet	Installation video	Installer guide	User guide	DOC	Warranty
					
Link	Link	Link	Link	Link	Link

Want more assets? Find our collection [here](#)

amina S
Product renders

Image 1	Image 2	Image 3	Image 4	Image 5
				
Link	Link	Link	Link	Link

Want more assets? Find our collection [here](#)

amina S
Action images

Image 1	Image 2	Image 3	Image 4	Image 5
				
Link	Link	Link	Link	Link

Want more assets? Find our collection [here](#)

amina S

Product presentation

This is our recommended carousel for presenting amina S with photos on your online shop

Image 1	Image 2	Image 3	Image 4	Image 5
				
Link	Link	Link	Link	Link

Want more assets? Find our collection [here](#)



General Dimensions (mm): 264mm x 112mm x 89mm Operating temperature: -30°C to +40°C Weight: 1,0 kg Weight including charging cable: 2,4 kg (20A), 3,4 kg (32A)	Max. current and charging 32A cable Current: 6-32A 3-phase output: 3,7 – 22,0 kW 1-phase output: 1,4 – 7,4kW	Standards and approvals Radio Equipment Directive 2014/53/ EU(RED) RoHS Directive 2011/65/EU EN IEC 61851-1:2019 IEC 62955:2018 EN 62196-2:2017 EN IEC 61851-21-2:2021
Power grid and voltages TN, IT and TT 230V/400V AC 3 phase w/ Neutral 230V AC 1 phase	Integrated residual current protection RDC-DD (6mA DC) according to IEC 62955	Energy measurement Integrated 3-phase energy measurement with +/- 3 % accuracy
Charging Cable Mode 3, case C according to IEC61851 Tethered Type 2 (20A / 32A) Minimum bending radius: 8xd for 32A, 7.5xd for 20A	Degree of protection Resistant to impact, dust, water IP54: indoor and outdoor use IK08: impact protection UL94: flammability rating UV-resistant	Communications interface Frequency band: 2400 - 2483.5 MHz Maximum output power: 10mW Bluetooth LE and Zigbee
Max. current and charging 20A cable Current: 6-20A 3-phase output: 3,7 – 13,8 kW 1-phase output: 1,4 – 4,6 kW	Electrical protection Protection class I Overvoltage category III (4 kV)	Installation External circuit breaker: 6A - 40A External RCD class A 30mA needed. Cable diameter: 4,0-16,1mm Wire cross section: 1,5-6,0 mm2

04

amina 1



Small size, big difference

Despite its small size, amina 1 delivers up to 7.4 kW, 7.4 kW, adding 35 km in just one hour or 300+ km overnight.



Effortless charging

Charge by simply plugging in or use smart apps and apps and your car's dashboard for more control. control.



Lightweight and robust

Weighing just 1 kg, with a closable lid and built to withstand all weather conditions.



Charges any car

Comes with a Type 2 socket that works with all all modern electric vehicles and hybrids.



amina 1

Product description

Header Text:

The simple but smart choice.

Body text:

amina 1 is the EV charger that gives you a safe and efficient way to charge your car at home.

Designed to blend in with your home, it is one of the most discreet chargers you can get installed. amina 1 is the small, simple and smart-ready choice.

amina 1

Value propositions

Charge the way you want

With amina 1, charging is flexible and easy.

- Plug in and charge— simple as that.
- Smart charging apps and electricity providers— Connect a supported EV to charge smart and save money.
- Cars and car apps – Set a start and end time for charging using your car’s dashboard or app.

Small size, big difference

Only 10cm tall and 20cm wide, amina 1 is one of the smallest home chargers on the market. It’s carefully designed to be the perfect mix of size, efficiency and safety, complete with a closable lid when not in use.

The power you need

Capable of adding 35km – the daily average distance driven by EV drivers – in one hour, amina 1’s charging speed of up 7,4kW has got your daily charging needs covered in no time.

amina 1

Supporting messages



Up to 7,4 kW

The sensible home charging speed. Add over 300 km range while you sleep.



Lightweight

At only 1 kg, it's among the smallest EV chargers you can get.



Compact and robust

Closable lid for discreet looks and ultimate protection from the elements.



Tried and tested

5-year warranty and compliance with all relevant EU standards.



Weatherproof

Made to withstand any weather condition, from -30° C to +40° C.



Charges any car

Type 2 charging cable, compatible with all EVs and hybrids.



Minimal size


Only 10 cm tall, 20 cm wide and 12 cm deep.



5-minute installation

Designed and engineered in collaboration with electricians.

amina 1
Supporting assets

Product sheet	Quick guide	Installation video	Warranty	DOC
				
Link	Link	Link	Link	Link

Want more assets? Find our collection [here](#)

amina 1


Product
renders

Image 1	Image 2	Image 3	Image 4	Image 5
				
Link	Link	Link	Link	Link

Want more assets? Find our collection [here](#)

amina 1

Action
images


Image 1	Image 2	Image 3	Image 4	Image 5
				
Link	Link	Link	Link	Link

Want more assets? Find our collection [here](#)

amina 1

Product presentation

This is our recommended carousel for presenting amina 1 with photos on your online shop

Image 1	Image 2	Image 3	Image 4	Image 5
				
Link	Link	Link	Link	Link

Want more assets? Find our collection [here](#)

General	Installation	Degree of protection
Dimensions (mm): 125 x 200 x 105 (H x W x D) Wall mounting (mm): c/c 110 x 185 (H x W) Weight: 1,15 kg	External circuit breaker: 6A - 40A External RCD Type A 30mA needed Cable diameter: 4,0 – 16,1mm Wire cross section: 1,5 – 6,0mm2	Resistant to impact, dust, water IP54: indoor and outdoor use IK08: impact protection UL94: flammability rating UV-resistant
Max current and charging	Integrated residual current protection	Electrical protection
Current: 6-32A, 1-phase Output: 1,4 - 7,4 kW	RDC-DD (6mA DC) according to IEC 62955	Protection class I Overvoltage category III (4 kV)
Charging socket	Operating temperature	Standards and approvals
Type 2 socket (IEC 62196-2)	-35 °C to +50 °C	CE compliance according to IEC 61851-1:2017 IEC 62955 ROHS Directive 2011/65/EU
Power grid and voltages		
TN, IT and TT 230V AC 1 phase		

05

amina S

amina S

Produkt beskrivelse

Overskrift:

Førstevalget for rask og enkel lading.

Brødtekst:

amina S er ditt førstevalg for rask og enkel lading.
Denne lille og raske laderen har en lett, fleksibel fast kabel som muliggjør lading opptil 22 kW.

Plugg inn for å lade, eller integrer via Zigbee eller Bluetooth for smartlading.

amina S sørger for at du alltid får den strømmen du trenger, når du trenger den.

amina S

Verdiforslag

Power in Simplicity

amina S er den lille og raske elbilladeren som er laget for bilen din og designet for hjemmet ditt. Designet og produsert i Norge, tåler alle værforhold og tar minimal plass i garasjen. Den 6 m faste ladekabelen er både praktisk og fleksibel og kommer med kjøpet.

Lad slik du vil

amina S er ment for både enkel lading og smarthjem-integrasjoner.

- Plugg i kabelen og lad – Så enkelt er det.
- Smarte hjem – Integrer amina S til et smarthjem for full smartladingsfunksjonalitet og besparelser.
- Smarte ladeapper og strømlleverandører - Koble til en støttet elbil for å lade smart og spare penger.

Maksimal effekt

amina S er utviklet for å gi bilen din maksimal kraft når du trenger det. Med en ladefart på opptil 22 kW kan amina S gi bilen din 100 kilometer rekkevidde på bare én time.

amina S

Egenskaper



Opptil 22 kW

En av de raskeste hjemmeladerne på markedet. Øker rekkevidden med opptil 100 km på én time.



Liten og lett

Med en vekt på bare 1 kg er den en av de letteste elbilladerne på markedet.



Smidig 6 m fast kabel

35 % tynnere* kabel for enkel håndtering og mindre miljøavtrykk.



Miljøsertifisert

Første hjemmeladeren på markedet med en publisert miljødeklarasjon (EPD).



Fremtidsrettet

Zigbee & Bluetooth for sømløs integrasjon mot smarte løsninger.



Ambient light sensor

Justerer automatisk LED-lysstyrken basert på omgivelsene.



Passer alle værforhold

Motstandsdyktig mot støt, støv og vann.



Lader alle biler

Type 2 ladekabel, kompatibel med alle elbiler og hybrider.



Plassbesparende

Kun 89 mm dyp, ideelt for garasjer eller trange passasjer.



Rask installasjon

Designet og utviklet i samarbeid med elektrikere.

amina S

Tekniske spesifikasjoner



Generelt	Påkrevd eksterne vern	Installasjon
Dimensjoner (mm): 264mm x 112mm x 89mm Driftstemperatur: -30°C til +40°C Vekt: 1,0 kg Vekt inkludert ladekabel: 2,4 kg (20A), 3,4 kg (32A)	Overstrømsvern (maks 40A) Jordfeilvern (maks 30mA AC)	Permanent tilkoblet Trefase m/ nøytral (TN/TT) Enfase (TN/TT/IT) 4 – 16mm kabel diameter
Ladekabel	Integrert jordfeilvern	Installasjonsomgivelser
Fast kabel inkludert (utskiftbar) Type 2 plugg (EN 62196) AST 100/20: 6m 3-fase 20A AST 100/32: 6m 3-fase 32A	RDC-DD (6mA DC)	Innendørs og utendørs bruk (IP54) Private og offentlige lokasjoner (IK08) Vegg eller søyle montert Min. 90cm installasjonshøyde
Ladeeffekt 32A variant	Integrert energimåler	Kommunikasjon
3-fase lading: 3,7 – 22,0kW 1-fase lading: 1,4 – 7,4kW	1 eller 3-fase ±3 % nøyaktighet	Bluetooth LE og Zigbee Frekvensbånd: 2400 – 2483,5 MHz Maksimum sendereffekt: 10mW
Ladeeffekt 20A variant	Elektrisk klassifisering	Regulativ og standarder ①
3-fase lading: 3,7 – 13,8kW 1-fase lading: 1,4 – 4,6kW	Beskyttelsesklasse I Overspenningskategori III (4 kV)	RED 2014/53/EU EN IEC 62311:2020 EN IEC 61851-1:2019 EN 62196-1:2014 EN 62196-2:2012+A11:2013+A12:2014 IEC 62955:2018 ② EN IEC 61851-21-2:2021 EN 301 489-1 v2.2.3 EN 301 489-17 v3.2.4 EN 300 328 v2.2.2 RoHS 2011/65/EU EN IEC 63000:2018

① Se aminacharging.com/compliance for ytterligere informasjon

Punkt 8.1.2: mekanisk koblet bryter i enfaseinstallasjoner, elektronisk
②koblet i trefaseinstallasjoner.

amina S

Materiell

Produktark	Installasjons- video	Installasjons- manual	Brukermanual	DOC	Garanti
					
Link	Link	Link	Link	Link	Link

Trenger du mer materiell? Se hele kolleksjonen [her](#)

amina S

Produkt
renders

Render 1	Render 2	Render 3	Render 4	Render 5
				
Link	Link	Link	Link	Link

Trenger du flere renders? Se hele kolleksjonen [her](#)

amina S

Miljøbilder

Bilde 1	Bilde 2	Bilde 3	Bilde 4	Bilde 5
				
Link	Link	Link	Link	Link

Trenger du flere bilder? Se hele kolleksjonen [her](#)

amina S

Produkt presentasjon

Dette er vår anbefalte kolleksjon av bilder for å presentere amina S i nettbutikken din.

Bilde 1	Bilde 2	Bilde 3	Bilde 4	Bilde 5
				
Link	Link	Link	Link	Link

Trenger du mer materiell? Se hele kolleksjonen [her](#)

05

amina 1

amina 1

Produkt beskrivelse

Overskrift:

Det enkle, men smarte valget

Brødtekst:

amina 1 er laderen som gir deg en sikker og effektiv måte å lade bilen din på.

Den er designet for å harmonisere med huset, og er en av de mest diskrete laderne på markedet.

amina 1

Verdiforslag

Lad slik du vil

Med amina 1 er ladingen både fleksibel og enkel:

- Plugg i kabelen og lad – så enkelt er det.
- Smarte ladeapper og strømleverandører - Koble til en støttet elbil for smartere lading og besparelser.
- Biler og bilapper - Angi ladetider for når strømmen er billigst ved hjelp av bilens dashbord eller app.

Minimal størrelse

amina 1 er nøye designet for å være den perfekte blandingen av størrelse, effektivitet og sikkerhet. Den er bare 10 cm høy og 20 cm bred og er en av de minste hjemmeladene på markedet.

Ladehastigheten du trenger

Med en ladehastighet på 7,4 kW, møter amina 1 dine daglige ladebehov. Øk rekkevidden med 35 km på en time, som tilsvarer gjennomsnittlig daglig kjørelengde for elbilister.

amina 1

Egenskaper



Opptil 7,4 kW

Fornuftig hastighet for hjemmelading.
Gir over 300 km rekkevidde mens du sover.



Liten og lett

Med en vekt på bare 1 kg er den blant de minste elbilladerne du kan få.



Kompakt og robust

Lukkbart lokk for diskret utseende og optimal beskyttelse mot vær og vind



Kvalitetssikret og testet

5 års garanti og i samsvar med alle relevante EU-standarder.



Værbestandig

Laget for å tåle alle værforhold,
fra -35 °C til +50 °C.



Lader alle biler

Type 2 ladekontakt er kompatibel med
alle moderne elbiler og hybrider.



Minimal størrelse

Bare 10 cm høy, 20 cm bred og 12 cm dyp.



Rask installasjon

Designet og utviklet i samarbeid med elektrikere.


amina 1

Tekniske spesifikasjoner

Generelt	Installasjon	Beskyttelsesgrad
Dimensjoner (mm): 125 x 200 x 105 (H x B x D) Veggmontering (mm): c/c 110 x 185 (H x B) Vekt: 1,15 kg	Ekstern sikring: 6 A - 40 A Ekstern RCD Type A 30mA nødvendig Kabeldiameter: 4,0 - 16,1mm Kabeltverrsnitt: 1,5 – 6,0mm ²	Motstandsdyktig mot støt, støv, vann IP54: innendørs og utendørs bruk IK08: støtteskyttelse UL94: brennbarhetsgrad UV-bestandig
Maks strøm og lading	Integrert jordfeilvern	Elektrisk beskyttelse
Strøm: 6-32A, 1-phase Effekt: 1,4 - 7,4 kW	RDC-DD (6mA DC) iht. IEC 62955	Beskyttelsesklasse II Overspenningskategori III (4 kV)
Ladekontakt	Temperaturområde	Standarder og godkjenninger
Type 2-kontakt (IEC 62196-2)	-35 °C til +50 °C	CE Samsvar i henhold til IEC 61851-1:2017 IEC 62955 ROHS Directive 2011/65/EU
Strømnett og spenninger		
TN, IT og TT 230V AC 1 fase		

amina 1

Materiell

Produktark	Quick guide	Installasjonsvideo	Garanti	DOC
				
Link	Link	Link	Link	Link

Trenger du mer materiell? Se hele kolleksjonen [her](#)

amina 1


Produkt
renders

Render 1	Render 2	Render 3	Render 4	Render 5
				
Link	Link	Link	Link	Link

Trenger du flere bilder? Se hele kolleksjonen [her](#)

amina 1

Miljøbilder


Bilde 1	Bilde 2	Bilde 3	Bilde 4	Bilde 5
				
Link	Link	Link	Link	Link

Trenger du flere bilder? Se hele kolleksjonen [her](#)

amina 1

Produkt presentasjon

Dette er vår anbefalte kolleksjon av bilder for å presentere amina 1 i nettbutikken din.

Bilde 1	Bilde 2	Bilde 3	Bilde 4	Bilde 5
				
Link	Link	Link	Link	Link

Trenger du mer materiell? Se hele kolleksjonen [her](#)

06

amina S

amina S

Produkt beskrivning

Rubrik:

Charge smarter, live easier

Brödtext:

amina S är den lilla, snabba och smarta laddaren som ger dig full kontroll över laddningshastighet och energiförbrukning. Utvecklad för integration med smarta lösningar via Zigbee och Bluetooth för bättre kontroll över elanvändning och kostnader, både nu och i framtiden.

Med en lätt och flexibel fast laddkabel kan du ladda upp till 22 kW.

amina S

Värde erbjudande

Smart, helt enkelt

Ladda smart precis som du vill med amina S:

- **Smarta hem** - Integrera amina S i ditt smarta hemsystem för att optimera energianvändningen.
- **Smarta laddningsappar** - Koppla din bil till en app så att den automatiskt laddar när elpriserna är lägre.
- **Smarta elleverantörer** - Ladda smart och spara pengar genom att koppla din bil till en elleverantör.

Framtidssäkrad

Kontrollera och övervaka dina laddningssessioner, energiförbrukning och kostnader genom din smartphone. amina S är utvecklad för att sömlöst integreras med smarta lösningar via Zigbee och Bluetooth.

Maximal effekt

amina S är utvecklad för att ge din bil maximal kraft när du behöver det. Med en laddningshastighet på upp till 22 kW kan amina S ge din bil 100 kilometers räckvidd på bara en timme.

amina S

Funktioner



Upp till 22 kW

En av marknadens snabbaste hemladdare. Ökar räckvidden med upp till 100 km på en timme.



Liten och lätt

Med en vikt på bara 1 kg är den en av de lättaste elbilsladdarna på marknaden.



Smidig 6 m fast kabel

35 % tunnare* kabel för enkel hantering och mindre miljöavtryck.



Miljöcertifierad

Första hemladdaren på marknaden med en publicerad miljödeklaration (EPD).



Framtidssäker

Zigbee & Bluetooth för sömlös integration mot smarta lösningar.



Ambient light sensor

Justerar automatiskt LED-ljusstyrkan baserat på omgivningen.



Tål alla väderförhållanden

Motståndskraftig mot stötar, damm och vatten.



Laddar alla bilar

Typ 2-laddkabel, kompatibel med alla elbilar och hybrider.



Platsbesparande

Endast 89 mm djup, idealisk för garage eller trånga passager.





Snabb installation

Designad och utvecklad i samarbete med elektriker.

amina S

Material

Produktblad	Installations-video	Installations-manual	Användar-manual	DOC	Garanti
					
Link	Link	Link	Link	Link	Link

Behöver du mer material? Se hela samlingen [här](#)

amina S

Produkt
renderingar

Rendering 1	Rendering 2	Rendering 3	Rendering 4	Rendering 5
				
Link	Link	Link	Link	Link

Behöver du fler renderingar? Se hela samlingen [här](#)

amina S

Bäst i test

amina S och Enefic Powerlink testades och recenserades av magasinet M3 i juni 2024.

Som första laddbox belönades amina S med fem av fem stjärnor.

De främsta fördelarna de lyfte var det kompakta formatet, funktionaliteten med lastbalanserings-lösningen inklusive solcellsladdning, priset samt att kabeln enkelt kan uppgraderas från 14 till 22 kW.

Rendering 1	Rendering 2	Rendering 3	Rendering 4	Rendering 5
				
Link	Link	Link	Link	Link

"Smart, snabb och slimmad – amina S är bästa laddboxen till din elbil"
Mikael Lindkvist, Chefredaktör M3

amina S

Miljöbilder

Bild 1	Bild 2	Bild 3	Bild 4	Bild 5
				
Link	Link	Link	Link	Link

Behöver du fler bilder? Se hela samlingen [här](#)

amina S

Produkt-presentation

Detta är vår rekommenderade samling av bilder för att presentera amina S i din webbutik.

Bild 1	Bild 2	Bild 3	Bild 4	Bild 5
				
Link	Link	Link	Link	Link

Behöver du mer material? Se hela samlingen [här](#)



Thank you!

Version 6 - 06.11.2025

